

EXECUTIVE SUMMARY

A.1 BACKGROUND

APRDC has planned to improve the State road network by providing better quality and safer roads to the users in sustainable manner with loan assistance from World Bank. Improved quality of roads, better institutional operation and management system of APRDC and safe roads are important features of the project component. In this connection RDC has selected 38 corridors (cumulative length of 2002 km) of high-density (traffic) roads through Strategic Option Study (SOS) to be developed in phased manner.

A.2 OBJECTIVES OF THE ASSIGNMENT

The main objective would be to alleviate the current unsafe and congested conditions of the road network connecting the villages and towns by providing better quality and safe roads to the users in a sustainable and environment friendly manner. Government of India, GoI through Ministry of Environment and Forest (MoEF) enforces **Environment (Protection) Rules, 1986** for environmental protection because of intervention of new projects or activities, or on expansion and modernization of existing projects or activity based on their environmental impacts.

A.3 SCOPE OF ENVIRONMENTAL ASSESSMENT (EA)

The environmental assessment scope includes screening and scoping, environmental assessment and environmental management plans for the individual project roads as required. The EA process also envisages to develop a comprehensive environmental management frame work for the entire project which will adopted as part of the corporate environmental policy for AP Road Development Corporation.

A.4 DESCRIPTION OF PROJECT ROAD

The project road Kakinada – Rajahmundry (KR) road, is a part of SH-78 in the Andhra region of Andhra Pradesh. The KR road starts at km 0/0 in Kakinada, in East Godavari district and runs north-west direction to Samalkota (project road has an overlap for a length of 3.3km with SH-148) and again from Samalkota runs south west direction to terminate at km61/6 in Rajahmundry (Junction with NH5 at km 60/1) near Dawleswaram barrage. Cumulative length of KR road is 61.6km and serves as an important link between Kakinada Port and NH5. **The project road is very close to the Samalkota canal and it appears that the PR serves like a inspection road to Samalkota canal.**

The project road is proposed for improvement from existing 2L to 4 L in HS-01 (km 0.0 to km 16.0) and remaining section HS-02 (km 16.0 to km 60.1) is proposed for improvement from existing 2L to 2 L+PS, with no major realignments. Sufficient land width is available in the HS -01 section for four laning, except some additional land is required for the bypass (length 3.1km) and minor realignments. Similarly for HS-02 NO additional land width is required as the proposed improvement is limited to 1.5 m paved shoulder and 1 m earthen shoulder on either side of the existing pavement. Hence the total land acquisition required for the project road upgradation is 14.25 Hectares, on an average 2.5m width all along the project road, well below 20m (Above 20 m the project requires the MoEF Clearance), hence NO MoEF clearance is required.

A.5 KEY ENVIRONMENTAL LAWS AND REGULATIONS

Table 1 presents the environmental regulations and legislations relevant to AP state road project.

Table 1: Environmental Regulations and Legislations

SR. No	Act / Rules	Purpose	Applicable Yes/ No	Reason for Applicability	Authority
1	Environment Protection Act-1986	To protect and improve overall environment	Yes	As all environmental notifications, rules and schedules are issued under this act.	MoEF, GoI; DoE, State Gov. CPCB; SPCB

SR. No	Act / Rules	Purpose	Applicable Yes/ No	Reason for Applicability	Authority
2	Environmental Impact Assessment Notification 4 th April, 2011	To provide environmental clearance to new development activities following environmental impact assessment	NO	This notification is NOT applicable to Project road, as this is an up-gradation of existing state highway.	MoEF, EIAA
3	Notification for use of fly ash	Reuse large quantity of fly ash discharged from thermal power plant to minimize land use for disposal	NO	No thermal plant within 100km reaches.	
4	Coastal Regulation Zone(CRZ) Notification 1991 (2002)	Protection of fragile coastal belt	NO	Road is not located along coastal belt	
5	National Environment Appellate Authority Act (NEAA) 1997	Address Grievances regarding the process of environmental clearance.	Yes	Grievances if any will be dealt with, within this act.	NEAA
6	The Land Acquisition Act 1894 & 1989	Set out rule for acquisition. of land by government	Yes	This act will be applicable to as there will be acquisition of land for widening, geometric improvements and realignments.	Revenue Department State Government.
7	MoEF Circular on Marginal Land Acquisition and Bypasses 1999	Defining ‘marginal land’ acquisition relating to the 1997 Notification	NO	Not applicable as per Environmental Impact Assessment Notification 14th Sep-2006	MoEF
8	The Forest (Conservation) Act 1927 The Forest (Conservation) Act. 1980 forest (conversion) Rules 1981	To check deforestation by restricting conversion of forested areas into non- forested areas	NO	NO forest area.	Forest Department, GoAP
9	MoEF circular (1998) on linear Plantation on roadside, canals and railway lines modifying the applicability of provisions of forest (Conversations) Act, to linear Plantation	Protection / planting roadside strip as avenue/strip plantations as these are declared protected forest areas.	NO	Roadside tree plantation in Andhra Pradesh does not come under the forest act.	MoEF
10	Wild Life Protection Act 1972	To protect wildlife through certain of National Parks and Sanctuaries	NO	This act is not applicable to as there are NO points of wildlife crossing along project corridor.	Chief Conservator Wildlife, Wildlife Wing, Forest Department, GoAP
11	Air (Prevention and Control of Pollution) Act, 1981	To control air pollution by & Transport controlling emission of air Department. Pollutants as per the prescribed standards.	Yes	This act will be applicable during construction; for obtaining NOC for establishment of hot mix plant, workers' camp, construction camp, etc.	SPCB
12	Water Prevention and Control of Pollution) Act1974	To control water pollution by controlling discharge of pollutants as per the prescribed standards	Yes	This act will be applicable during construction for (establishments of hot mix plant, construction camp, workers' camp, etc.	SPCB
13	Noise Pollution (Regulation and Control Act) 1990	The standards for noise for day and night have been promulgated by the MoEF for various land uses.	Yes	This act will be applicable as vehicular noise on project routes required to assess for future years and necessary protection measure need to be considered in design.	SPCB
14	Ancient Monuments and Archaeological Sites and Remains Act1958	Conservation of cultural and historical remains found in India	NO	This act not applicable as the project route is not close to any Ancient Monument, declared protected under the act.	Archaeological Dept GoI, Indian Heritage Society and Indian National Trust for Art and Culture Heritage (INTACH).
15	Public Liability and Insurance Act 1991	Protection form hazardous materials and accidents.	Yes	Contractor need to stock hazardous material like diesel, Bitumen, Emulsions etc.	SPCB
16	Explosive Act 1984	Safe transportation, storage and use of explosive material	Yes	For transporting and storing diesel, bitumen etc.	Chief Controller of Explosives

SR. No	Act / Rules	Purpose	Applicable Yes/ No	Reason for Applicability	Authority
17	Minor Mineral and concession Rules	For opening new quarry.	Yes	Regulate use of minor minerals like stone, soil, river sand etc.	District Collector
18	Central Motor Vehicle Act 1988 and Central Motor Vehicle Rules 1989	To check vehicular air and noise pollution.	Yes	This rule will be applicable to road users and construction Machinery.	Motor Vehicle Department
19	National Forest Policy 1952 National Forest Policy (Revised) 1988	To maintain ecological stability through preservation and restoration of biological diversity.	NO	This policy will not be applicable as NO eco sensitive feature exists along the project corridor.	Forest Department, GoA and GoAP
20	The Mining Act	The mining act has been notified for safe and sound mining activity.	Yes	The construction of project road will require aggregates. These will be procured through mining from riverbeds and quarries	Department of mining, GoAP

On the basis of data and information collected during field survey and discussion with local expert and visualise potential associated impact, consultant has categorised this project as **category-B**, which requires a lesser level of environmental investigation.

A.6 BASE LINE ENVIRONMENT

Data was collected from secondary sources for the macro-environmental setting like climate, physiography (Geology and slope), biological and socio-economic environment within Project Influence Area, PIU/ Project District, PD. First hand information have been collected to record the micro-environmental features within Corridor of Impact, CoI. Collection of first hand (Primary) information includes preparation of base maps, extrapolating environmental features on proposed road design, tree enumeration, location and measurement of socio-cultural features abutting project road.

A.7 STAKEHOLDER CONSULTATION

Consultative procedure, since the inception of the project, has been continued during pre-feasibility, feasibility, Environmental Assessment and Management Plan preparation stage. Considering the fact that involving local communities in the project planning is basis of the participatory planning, often suggestion and option given by the people improves technical and economic efficiency of the project and suggested improvements proposals (if adopted by the project) of the people also generates sense of ownership within communities thus eases implementation process.

A.8 INFORMATION DISSEMINATION

- While conducting tree enumeration and inventory of road side environmental features (**hot spots**), the consultant has also conducted information dissemination by one to one campaigning about proposed improvement,
- Potential project affected families were consulted to inform them about proposed road improvement program and possible environmental conflict such as tree cutting, relocation of hand pumps,
- Pictorial Methods were adopted to explain proposed improvement and possible environmental impacts in the concerned villages,
- Information dissemination through pumhlet / *Khadapatralu* among the villagers explaining proposed road improvement.

A.9 ANALYSIS OF ALTERNATIVES

The entire length of the project road has very typical kind of restrictions from both sides, LHS and RHS. On LHS, all through canal runs parallel to project road and on RHS railway track runs parallel to road for around 30% length of it. Since on LHS canal is there, all built-up sections have been developed on the RHS of the Road, rather between railway track and project road.

There are four locations where project road passes through congested area:

1. Samalkota (km 14/0 to km 15/0)
2. Anaparthi (km 41/0 to km 42/0)
3. Kesavaram (km 49/0 to km 50/0)
4. Kadiyam (km 56/5 to km 57/0)

At all four locations, project road is located between canal and railway track. Owing to this lateral confinement, no bypass or major realignment is proposed except at Samalkota town.

A.10 POTENTIAL IMPACT

Table 2 below presents the general environmental impacts expected due to the proposed upgradation of the project road. Impacts have been assessed based on the first hand information collected from the screening & scoping of environmental attributes. The quanta of all the impacts on Natural Environment are analyzed in detail.

Table 2: General Impacts on Natural Environment

Project Activity	Planning and Design Phase	Pre-construction Phase		Construction Phase					Road Operation	Indirect effects of operation or Induced development
		Removal of Structures	Removal of trees and vegetation	Earth works including quarrying	Laying of pavement	Vehicle & Machine operation & maintenance	Asphalt & crusher plants	Sanitation & Waste (labour campus)	Vehicle operation	
Air		Dust generation during dismantling	Reduced buffering of air and noise pollution, Hotter, drier microclimate	Dust generation	Asphalt odour	Noise, dust, pollution	Noise, soot, odour, dust, pollution	Odour / smoke	Noise, dust, pollution	other pollution
Land	Loss of productive Land	Generation of debris	Erosion and loss of top soil	Erosion and loss of top soil		Contamination by fuel and lubricants Compaction	Contamination Compaction of soil	Contamination from wastes	Spill from accidents Deposition of lead	Change in cropping pattern
Water	Loss of water sources	Siltation due to loose earth	Siltation due to loose earth	Alteration of drainage Break in continuity of ditches Siltation, Stagnant water pools in quarries.	Reduction of ground water recharge area	Contamination by fuel and lubricants	Contamination by asphalt leakage or fuel	Contamination from wastes Overuse	Spill Contamination by fuel, lubricants and washing of vehicles	Increased contamination of ground water
Noise		Noise Pollution	Noise Pollution due to machinery	Noise Pollution		Noise pollution	Noise Pollution		Noise Pollution	Noise pollution
Flora		Loss of Biomass		Lowered productivity Loss of ground for vegetation		Removal of vegetation	Lower productivity Use as fuel wood	Felling trees for fuel	Impact of pollution on vegetation Lowered productivity Toxicity of vegetation.	
Fauna			Disturbance Habitat loss	Disturbance		Disturbance	Disturbance	Poaching	Collision with traffic	Distorted habitat

A.11 AVOIDANCE, MITIGATION & ENHANCEMENT

Prevention or avoidance of impact is better than mitigation of impact. Hence avoidance and reduction of adverse impacts approaches were adopted during the design stage through continued interaction between the design and environmental teams. This is reflected in the designs of the horizontal & vertical alignment, cross sections adopted, construction methods and construction materials. In-depth site investigations have been carried out so that sensitive environmental resources are effectively avoided, leading to the environmentally best-fit alignment option. As a

result many of the trees, cultural properties, water bodies etc. have been avoided at the design stage itself, as presented in Table 3 below.

Table 3: Environmental features saved through Avoidance measure at design stage

Environmental Features	Potential Impact	Under Direct Impact	Saved through alignment design
Trees (nos.)	5732	4162	1570
Surface Water source	4	2	2
Ground Water source	8	3	5
Schools and Hospitals	14	2	12
Sensitive Cultural Properties	67	29	38
Bus Shelters	19	5	14

A.12 ENVIRONMENTAL MANAGEMENT PLAN

Environmental Management Plan (EMP) deals with the implementation procedure of the guidelines and measures recommended to avoid, minimize and mitigate environmental impacts of the project. It also includes management of measures suggested for enhancement of the environmental quality along the highways.

The institutional arrangement made under project will look into the implementation of project as well as EMP and the various legal settings applicable to the project are briefly stated in chapter 3.

The avoidance, mitigation & enhancement measures for protection of the environment along highways have been discussed in detail in previous chapter. Although the social environmental impacts, its mitigation and management is an essential component of the EMP, this chapter excludes it for the purpose of clarity and procedural requirements. Social environmental elements have been separately dealt in separate volume namely, Resettlement and Rehabilitation Action Plan (RAP).

A.13 OBJECTIVE OF EMP

The EMP is a plan of action for mitigation / management / avoidance of the negative impacts of the project and enhancement of the project corridor. For each measure to be taken, its location, timeframe, implementation and overseeing / supervision responsibilities are listed. These components of the EMP have been given in Chapter 9 which explains the environmental issues and the avoidance/ mitigation/ minimization or enhancement measures adopted and/or to be adopted during different phases of the project. It also provide the references for the suggested measures, responsible agency for its implementation/ management as well as its timeframe.

A.14 COST ESTIMATES FOR ENVIRONMENTAL MANAGEMENT

Mitigation measures proposed in the EMP will be implemented by the Contractor. The works to be undertaken by the Contractor have been quantified and the quantities included in the respective BOQ items such as earth works, slope protection, noise barriers, road safety features, and shrub plantation.

Provisional quantities have also been included for additional measures that may be identified during construction and for silt fencing which will depend on the Contractors work methods and site locations. Items and quantities have also been included for enhancement measures.

More general environmental management measures to be followed by the contractor have been included in the specifications and this EMP. These cannot be quantified and are to be included in the contract rates. A total of **Rs. 74,15,000 lacks** has been allocated for the environmental management for the Project road.

A.15 ORGANIZATIONAL FRAMEWORK

The proposed project will be implemented by APRDC through its Environmental Management Unit (EMU). The EMU comprises of officers from Department of Forest, GoAP, and other environmental Engineers. The EMU will be coordinating with the field level implementing agencies such as Engineer (Supervision Consultant), Contractor and field level APSHP officials. Role and responsibilities of important officials is detailed in chapter 9.




Fig. 1: Organization Framework